	REVISION:	01	-					EN	GINEERING	DATA	LIS	T		* HISTORY *
DATE		DATA TECH:			ORGN	SYMB				PR NR :			APPLICATION: C-5A,B,C	PAGE 1 OF 2
	30SEP03		GS		L							NOUN:	C-07,D,O	INSN:
CAGE	2						R	EFER	ENCE NR: 4E12378-1	101A		MOOM .	PLATE, STRUCTURAL, AI	1560004122955UC
988	A LOCKHEEL	CORP LOCKHI	EED-G	EOR			EIIDA	DIST					NOOTE DESIGNATION	
CAGE	DRAWI	NG NUMBER		REV	NR SHEETS	CARDS	CODE	CODE	NOUN		3.000	mon coass	REQUIREMENTS	
98897	4E12378		/	С	0001	0000	ន					TOP DRAWI		
98897	4E12346		1	А	0001	0000	S				ADDITIO	NAL DRAWI	NG	
98897	DS5075		1	N	0011	0000	S				REV DT	15 DEC 92		
98897	DS3 0002		1		0000	0000					CANX;	JSE 0581		
98897	STM22-006		1		0005	0000	s				PUB DT	17 APR 92		
98897	STP56-105			м	0009	0000	s				REV DT	29 NOV 95	·	
98897	STP61-006		/	D	0005	0000	s				REV DT	15 APR 86		
	STP63-001		/	P	0019	0000	\$				REV DT	29 MAR 01		
<b>├</b> ─	DS3 0000		7	R	0009	0000	S				REV DT	18 FEB 98	3	
98897	DS3 0004		/	T	0000	0000					CANX;	JSE STP 51	-302	
98897	STM22-301			$\vdash$	0000	0000					CANCEL	LED USE ST	rP61-213	
98897	STP61-213		/	J	0012	0000	s	c			REV DT	5 DEC 94		
98897	STM22 - 502				0000	0000					CANX;	USE MIL-C-	-9084	
	STP51-302			W	0043	0000	S	D			REV DT	16 AUG 01	1; PDF FILE	
	STP61-202				0000	0000	-				CANX;	USE STP61	-212	
98897	0581			AD	0063	0000	s	Д			REV DT	2 OCT 01;	; PDF FILE	
	STP61-212			В	0013	0000	s				REV DT	16 AUG 82	2	1178111
98897	FINISHES	· · · · · · · · · · · · · · · · · · ·		十	0000	0000								
98897			1	+-	0000	0000	0				USE MI	L-PRF-8526	85, TY I	
98897	<del></del>		<del></del>	$\dagger$	0000	0000	0				USE MI	L-PRF-233	77, TY I, CLS C	
-	-			+-	<b>†</b>	1		T						
<b>-</b>				+	+	+	† –	1						
-				+	<del>                                     </del>	t	t	+						
				+-	<del>                                      </del>	-	$\vdash$					<del></del>		
<b> </b>				+	+ -	+	-	┼-			<b> </b>			
				+	+ -	1 -	$\vdash$	┪-			1			
ļ				+	-	+	+	+-			†			
-				+-	1-	+-	+	+-			<del>                                     </del>			
-				+	+-	+	+-	+-			1			
	+-		_	+	+	+-	+-	+-			$\dagger$			
	1			- 1	1	1	1		ı					

	REVISION:	01			ENGINEERING	DATA	LIST		* HISTORY *
DATE:	30SEP03	DATA TECH: GS	ORGI	SYMBOL	: LGECB	PR NR :	:	APPLICATION: C-5A.B,C	PAGE 2 OF 2
CAGE: 98897	MANUFACTUR LOCKHEED C	EER NAME: CORP LOCKHEED-GI	EORGIA C		REFERENCE NR: 4E 12378-101A		NOUN : PLATE,STI	RUCTURAL,AI	NSN: 1560004122955UC
CAGE	DRAWING NU	MBER F	REV SHEETS	NR FUR				REQUIREMENTS	
-	<u> </u>								
								CD Re	<i>M</i>
									/ A V.5
			1					XPORT CON	TROL
	DO PACIMERDIA								

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

#### **ENGINEERING DATA LIST REMARKS**

FURNISHED METHOD CODE LEGEND:

- X DATA SUPPLIED (NOT IN EDCARS). G GOV'T DOCUMENT.

- C CLASSIFIED DOCUMENT.
- R FURNISHED BY PCD UPON REQUEST.
- O OTHERS, CONTRACTOR MUST ACQUIRE.

- S FURNISHED WITH SOLICITATION. M - STABLE BASE DRAWING REQUIRED;
- P PARTIAL DOCUMENT FURNISHED. V - VENDOR DRAWING;
- A DATA NOT AVAILABLE.

- FURNISHED WITH CONTRACT AWARD.
- (NOT PROVIDED).

	REVISION:						EN	IGINEERING	DATA	LIS	T		* HISTORY *
DATE	: 04OCT02 DATA TECH	H:	7	ORGN	SYME	BOL :		GECC	PR NR :			APPLICATION: C-5	PAGE 1 OF 2
CAGE						Ī	ÆFE	RENCE NR: 4J31112-1	404		NOUN:	PANEL, STRUCTURAL, AI	NSN: 1560004864938UC
	397 LOCKHEED CORP LOC	KHEED-C	EOI	NR		FURN	DIST	<del>,</del>	49A			TANEC,STRUCTURAL,AL	130000400493800
CAGE	DRAWING NUMBER		REV	SHEETS	CARDS							REQUIREMENTS	····
<u> </u>	4J31112	/	Ē	0001	0000	8		PANEL		-149 AS	SEMBLY		
	DS30004	/		0000	0000						EDUSE ST	P-51-302	
98897	STP63-001	/	<u> </u>	0000	0000		_			USE MIL	-STD-130		
											ION STAMPI	NG NOT PERMISSIBLE	
	STP57-004	/	J	0008	0000	S	ļ _	PRIMER		BR127			
	DS30003			0000	0000		<u> </u>				EDUSE ST	P51-400	
<u> </u>	LS38496		В	0001	0000	s	_	EXTRUSION		-1 CHAN			
<b>—</b>	LS38491		B	0001	0000	S		EXTRUSION		-1 CHAN	NEL		
	STP51-302		W	0043	0000	s	D				_		
	STP60-401	/	J	0009	0000	5	_	SPEC		SEAL PE	R		
	STP60-101		J	0052	0000	S		SPEC					
	STM30-102		F	0026	0000	5	ļ	SPEC		71100000	TOM DROVEN	Admin a	
	ER8296 DS30000		K	0075	0000	S		SPEC			ION REQUIRE	EMENTS	
	STM22-602		R	0009	0000	s		SPEC SPEC		FINISH	SPEC		
	DS5055		ľ	0000	0000	3	-	3780		CANCELL	EDUSE STI	) F2 726	
	4R23200			0185	0000	s		SPEC		LOFT DA		7-32-726	
	STM28-102			0000	0000		-	JPEC			EDUSE MII	-C-7438F	
<b></b>	STM22-506		В	0016	0000	s		SPEC					
	4J00002	<del></del>	AC	0002	0000	s		OTEC		SMOOTHN	ESS REQUIRE	RMENTS	
<b>-</b>	4J30600		к	0002	0000	s	_			FINAL T			
	4W00003		В	0005	0000	s		SPEC			UTE DATA		
_	DS5025	<del>'</del>	AB	0025	0000	s	С	SPEC		ABBREVI			
<b>├</b>	STP58-209		L	0012	0000	s		SPEC			-	<u> </u>	
<b> </b>	STP51-400	7	D	0036	0000	s		SPEC					
98897	STP58-405	1	F	0010	0000	s	<del>                                     </del>	SPEC		<u> </u>			
98897	STP59-204	1	В	0009	0000	s		SPBC					
98897	STM37-305	/	A	8000	0000	3							
98897	STP59-405	/	$\vdash$	0009	0000	s		SPEC					
98897	STP52-726	7*	P	0016	0000	ន		SPEC					

.

	REVISION:						EN	IGINEERING	DATA	LIS	T		* HISTORY *
DATE	: 04OCT02	DATA TECH:	MW	01	RGN SYN	IBOL :	]	GECC	PR NR :			APPLICATION: C-5	PAGE 2 OF 2
9889		RER NAME: CORP LOCKHE	ED-GI	EORGL	A CO			RENCE NR: 112-149A			NOUN: PANEL,STI	RUCTURAL,AI	NSN : 1560004864938UC
CAGE	DRAWING )	NUMBER	R	EEV SHE	nr nr Eets Cari	FURN S CODE	DIST	NOUN				REQUIREMENTS	
98897	4J33602		/	B 00	001 000	э Б			F	EFEREN	CE	CD DC	17.5
98897	4J33610			A 00	001 000	s						CD RC	<u> </u>
	<b> </b>						ļ .						
			-+	-	-	-						-	
			-	-									
						+							
			$\perp$			1							
				-									
		<u>,</u>			_	-	-						
-			$\neg \uparrow$	_		+							

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE. BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, MEBSITE, HTTP://WNW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL FENALTIES. (SEE ATTACHMENT 1)

# **EXPORT CONTROL**

7			
ENGINEERING DATA LIST REMARKS	FURNISHED METHOD CODE LEGEND:	X - DATA SUPPLIED (NOT IN EDCARS).	G - GOV'T DOCUMENT.
	C - CLASSIFIED DOCUMENT.	R - FURNISHED BY PCD UPON REQUEST.	O - OTHERS, CONTRACTOR
	S - FURNISHED WITH SOLICITATION.	P - PARTIAL DOCUMENT FURNISHED.	MUST ACQUIRE.
	M - STABLE BASE DRAWING REQUIRED;	V - VENDOR DRAWING;	A - DATA NOT
	FURNISHED WITH CONTRACT AWARD.	(NOT PROVIDED).	AVAILABLE.

	REVISION:							FN	GINEERING	DATA	K LIS					* HIS	TOR	(Y *
DATE :	03APR02	DATA TECH:	TS		ORGN	SYMB	OL:	Т	ILCB	PR NR :			APPLICATIO	N: C-5	PAGE	1	OF	2
CAGE: 9889	MANUFACTU 97 LOCKHEED	RER NAME: CORP LOCKHE	EED-G	EOR	GIA CO	)	R	EFEF	ENCE NR: 4F33412	-135B		NOUN:	FLOOR	AIRCRAFT	NS	N: 156000	49477	737U
CAGE	DRAWIN	G NUMBER		REV	NR SHEETS			DIST CODE	noun					REQUIREMENTS				
98897 4	IF33412		/	М	0002	0000	S				- 135B							
98897	DS30000		/	R	0009	0000	s				REV DT	18 FEB 98			6 7	M		
98897 I	DS30004		/		0000	0000					CANX. U	USE STP51-3	02	CD R		1		
06542 F	FED STD-595		/	В	0000	0000	0				PUB DT	11 JAN 94			<u></u>			
98897	STP63-001		1	P	0019	0000	S	D			EXPORT	CONTROL						
98897	STP60-401		1	J	0009	0000	s				REV DT	15 AUG 90						
98897	STM22-602		/	F	0012	0000	s				TYPE I	II & V						
98897	FINISH FA-17-1-1	-29-29	/		0000	0000												
98897	F		/		0000	0000	0				USE MI	L-C-5541, C	LS 1A					
98897	A		/		0000	0000					USE MI	L-A-8625, I	TYPE I, CLS	1				
98897	-17		/		0000	0000					USE MI	L-C-8514						
98897	- 1		/		0000	0000					USE MI	L-PRF-23377	, TYPE I, C	LS C; 2 COATS				
98897	-29		/		0000	0000					USE MI	L-PRF-85285	TYPE I; 2	COATS				
98897	FINISH FA-17-1-1	25	1		0000	0000												
98897	(F)		1		0000	0000					USE MI	L-C-5541, C	CLS 1A;					
98897	(A)		/		0000	0000					USE MI	L-A-8625, T	TYPE I, CLS	1				
98897	(-17)		/		0000	0000					USE MI	L-C-8514						
98897	(-1)		1		0000	0000					USE MI	L-PRF-23377	7, TYPE I, C	LS C; 2 COATS				
98897	-25		/		0000	0000					CANCEL	LED; USE A	A-A-59166					
98897	STP51-302		/	W	0043	0000	s				REV DT	16 AUG 01						
81349	MIL-C-5541		/	E	0000	0000	0				PUB DT	30 NOV 90						
81349	MIL-A-8625		/	F	0000	0000	0				TYPE I	, CLS 1; PU	JB DT 10 SEF	т 93				
81349	MIL-C-8514		1	С	0000	0000	0				PUB DT	30 SEPT S	99					
81349	MIL-PRF-23377		/	G	0000	0000	0				TYPE I	, CLS C; I	PUB DT 30 SE	PT 99				
81349	MIL-PRF-85285		1	С	0000	0000	0				TYPE I	; PUB DT 30	APR 97					
81349	A-A-59166		/		0000	0000	0				PUB DT	8 SEPT 99				_		
														the med	ALLA		PT	
												,	ware the state of	and the same of the same of the	9 (h.	11 lb.*L	er distant	
								L.,		· ·								

	REVISION:						EN	GINEERING	DATA	LIS			* HIS	TORY *	
DATE:	03APR02	DATA TECH:	тs	ORGN	SYMI	30L :	1	TILCB	PR NR:			APPLICATION: C-5	PA	AGE 2	OF 2
CAGE: 98897	MANUFACTU LOCKHEEL	TRER NAME: CORP LOCKHER	ED-GEOF	RGIA CO	<u> </u>			RENCE NR: 412-135B	1		NOUN : FLOOR,AI	RCRAFT		SN : 60004947	737UC
CAGE	DRAWING	NUMBER	REV	nr Sheets	NR CARDS	FURN CODE	DIST CODE	NOUN			•	REQUIREMENTS			
															<del>-</del>
-															
<del></del>		<u>, , , , , , , , , , , , , , , , , , , </u>													· · · · · · · · · · · · · · · · · · ·
										<del></del>			<u>-</u>		
				<del></del>											
											-				
STANDA	RD ENGINEER	ING TEXT													

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING	DATA LIST	REMARKS
-------------	-----------	---------

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.

- S FURNISHED WITH SOLICITATION.
- X DATA SUPPLIED (NOT IN EDCARS). G GOV'T DOCUMENT.

MUST ACQUIRE.

- R FURNISHED BY PCD UPON REQUEST. O OTHERS, CONTRACTO P - PARTIAL DOCUMENT FURNISHED.

- M · STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
- V VENDOR DRAWING; (NOT PROVIDED).

A - DATA NOT AVAILABLE.

	<b>REVISION:</b>							FV	IGINEERING	DAIA	LIS	<u> </u>		* HISTORY *
DATE	: 09DEC02	DATA TECH:	DR		ORGN	SYME	BOL:	]	GECC	PR NR :			APPLICATION: C-5	PAGE 1 OF 1
CAGE 9889	: MANUFACTU 7 LOCKHEED	RER NAME: CORP LOCKHE	EED-C	GEOF	RGIA CO			4E52	RENCE NR: 100-104A			NOUN: FORMER,	AIRCRAFT	NSN: 1560004851756UC
CAGE	DRAWING	NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST	NOUN				REMARKS	
98897	4E52100		/		0002	0000	s		COVER FRAME		-104A			
98897	STP63-001		/		0000	0000					USE MIL	STD-130		
98897	STP 61-006		/	D	0005	0000	s		PROCESS		C/04E52	100		
98897	DS30000		/	R	0009	0000	s	ļ	PROCESS		er 11			
98897	DS30002		/	Т	0000	0000	s						0581 C/O 4E52100	
98897	0581		/		0063	0000	S	D	PROCESS SPECIFICATION		C/O DS3	0002		,
	·			<u> </u>										
				<u> </u>										
				<u> </u>		<u> </u>								
							<u> </u>	ļ						
				_				<u> </u>						
				$oxed{}$										
				_							,			· · · · · · · · · · · · · · · · · · ·
								<u> </u>						

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT". THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL, SOURCE CONTROL, OR VENDOR ITEM DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEO. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

## ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

- C CLASSIFIED DOCUMENT.
- S FURNISHED WITH SOLICITATION.
- M STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD
- X DATA SUPPLIED (NOT IN EDCARS). G GOV'T DOCUMENT.
- R FURNISHED BY PCD UPON REQUEST. O OTHERS, CONTRACTOR
  - P PARTIAL DOCUMENT FURNISHED.
- MUST ACQUIRE.
- V VENDOR DRAWING;
- A DATA NOT AVAILABLE.

(NOT PROVIDED).

L	2502103	DATA TECH:	CC	O	RGN S	YME	OL:	ENGINEERING	PR NR :		APPLICATION:	* HISTORY
CAG	F	RER NAME:					İR	EFERENCE NR:			C-5	PAGE 1 OF 2
9.	1000 LOCKHEED	CORP LOCKHE	ED-GI	ORGL	CO		ı ı	4E5210	O-103A	NOUN:		NSN:
CAGE	1	NUMBER	- 1		TR I		FURN	DIST	O TOUR	<del></del>	FORMER, AIRCRAFT	1560004851755
9889	7 4E52012		7		ETS C		CODE	CODE NOUN			REQUIREMENTS	
9889	DS30000		7			000		<del></del>		-119A; TOP DRAWING	G	
9889	DS30002		7	00		000				SEE FINISH CODES	CD	DOM
9889	STM22-502		7	00	-+	000	+			CANX; USE 0581	CD	KUM
9889	STM22-304		7	A 00	12 00	000	s			CANX; USE MIL-C-90	084, TYP VIII	
98897	STP63-001		/	P 00	19 00		s	<del>-</del>		REV DT 10 JUL 72		
98897	STP60-505		/	T 00	18 00	000	s	<del></del>		REV DT 29 MAR 01		
	STP59-602		7	B 000	5 00	00	s			REV DT 14 AUG 92		
98897	0581		/ A	D 006	3 00	00	s	D		REV DT 19 JUL 68		
98897	STP61-202		/	000	0 00	00	_			REV DT 2 OCT 01; P	DF FILE; EXPORT CONTROL	
				1		$\dashv$	$\top$			CANX; USE STM22-30:	1,STM22-304,STM22-502,STP61-21	2,STP61-213,STP61-214,
	STM22-301		/	000	0 00	00	$\vdash$				575,MIL-R 9299 & MIL-R-9300	
	STP61-212		/ F	001	3 000	00	s			CANX; USE STP61-213	3	
	STP61-213		/ 3	001	2 000	00	s			REV DT 16 AUG 82		
	STP61-214		/ A	001	2 000	00	s			REV DT 15 MAY 72		
8897	FINISH SPECS	/	/	000	000	0				12 01 13 MAI 72		
8897		/		0000	000	0				USE STP59-602		
8897		/		0000	000	0				USE MIL-PRF-23377		
	TP59-301	<u>/</u>		0000	000	0				USE STP59-301		
		<u>/</u>	4	0011	000	0 s				PUB DT 30 NOV 66		
		<del></del>		<u> </u>	1	$\bot$						
			- -	ļ	<del> </del>							
					ļ							
					ļ	$\perp$						
				<u> </u>	<b>├</b>	┷						
					<u> </u>	↓_	1_			 		
+		· · · · · · · · · · · · · · · · · · ·	+			↓_	┼					
+		·-	+			-	↓_					
+			+			↓_	<del> </del>					

	REVISION: 03				EN	IGINEERING	DATA	LIS	T		* HISTORY *
DATE :	29SEP03 DATA TECH: CO	;	ORGN	SYMBO	OL:	LGECB	PR NR :			APPLICATION: C-5	PAGE 2 OF 2
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-	GEOR	GIA CO			RENCE NR: 100-103A			NOUN: FORMER,	AIRCRAFT	NSN: 1560004851755UC
CAGE	DRAWING NUMBER	REV	NR SHEETS	NR F	FURN DIST	NOUN				REQUIREMENTS	
		-									
	·										
				-	_						
				_				<del></del>	•		
		$\vdash \vdash$			+-						

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

### **ENGINEERING DATA LIST REMARKS**

FURNISHED METHOD CODE LEGEND:

- C CLASSIFIED DOCUMENT.
- S FURNISHED WITH SOLICITATION.
- M STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
- X DATA SUPPLIED (NOT IN EDCARS). G GOV'T DOCUMENT.
- R FURNISHED BY PCD UPON REQUEST. O OTHERS, CONTRACTOR MUST ACQUIRE.
- P PARTIAL DOCUMENT FURNISHED.
- A DATA NOT

V - VENDOR DRAWING; (NOT PROVIDED) .

AVAILABLE.